

FEDERAL COMMUNICATIONS COMMISSION
445 TWELFTH STREET, SW
WASHINGTON, DC 20554

MEDIA BUREAU
AUDIO DIVISION
APPLICATION STATUS: (202) 418-2730
HOME PAGE: www.fcc.gov/mb/audio/

ENGINEER: Khoa Tran
TELEPHONE: (202) 418-2700
FACSIMILE: (202) 418-1410/1411
MAIL STOP: 1800B3
INTERNET ADDRESS: khoa.tran@fcc.gov

MAY 06 2014

Seacoast Arts and Cultural Alliance
909 Islington St. STE1
Portsmouth, NH 03801

Re: WSCA-LP, Portsmouth, NH
Facility ID No. 126863
Seacoast Arts and Cultural Alliance
File No. BPL-20140307ACT


Dear Applicant:

This letter refers to the above-captioned application for a minor change to a licensed facility.

An engineering study has revealed that the proposed transmitter site fails to meet the minimum spacing requirements of 47 C.F.R. § 73.807. Specifically, the site proposed is 26.4 kilometers from the subsequently licensed facility (BLFT-20120920AEP) of co-channel Class D Station W291CC, Newburyport, MA. The required spacing pursuant to § 73.807 is 32 kilometers. LPFM modification applications must either meet the distance separation requirements or, if short spaced, not lessen the spacing to subsequently authorized stations. This application reduces the spacing towards W291CC from 27.5 kilometers to 26.4 kilometers.

Accordingly, in light of the above, application BPL-20140307ACT is unacceptable for filing and IS HEREBY DISMISSED. This action is taken pursuant to 47 C.F.R. § 0.283.

Sincerely,



James D. Bradshaw
Deputy Chief
Audio Division
Media Bureau